

Saiwenna Motorized Blinds

Roller Blinds Color Card

Custom motorized blinds and smart window covering solutions.

Website: saiwenna.com

Email: sales@saiwenna.com

春晖系列 ENGINEERING ROLLER BLINDS

功能性高质量阳光面料！



手动成品尺寸：最宽2.5M 最窄：0.3M 最高：3M

电动成品尺寸：最宽2.5M 最窄：最宽根据电机长加4CM 最高：3M

（超过以上尺寸请咨询本公司）

Manual finished size: the widest 2.5M / narrowest: 0.3M / highest: 3M

Electric finished size: the widest 2.5M / narrowest: the widest according to the motor length plus 4CM / highest: 3M
(Please consult our company for more than the above dimensions)

大部分工程卷帘可适用于潮湿环境或经过特殊的“保鲜后”
Most engineered roller blinds can be used in wet environments or after special "preservation"



无线连接
WIFI connection



智能控制
Intelligent control



电动驱动
Electric drive



手动驱动
Hand Pull Drive



环保建材
Environmentally
friendly building
materials



无异味
No odor



阻燃工艺
Flame retardant
process

SPRING SUNSHINE

功能特点：

工程卷帘面料作为窗饰行业的一款成熟度高、应用广泛的产品，备受广大消费者青睐。它既可以减光、遮光、以适应人对光线不同强度的需求；又可以防火、防风、除尘、保暖、消声、隔热、防辐射、防紫外线等，改善居室气候与环境。已成为不可缺少的、功能性和装饰性完美结合的室内装饰品。

适用场所：

商务、行政办公大楼、展馆展厅、图书馆、体育馆、酒店、玻璃房、实验室、影院以及商业步行街、咖啡吧、茶坊等公共场所。

清洁方式：

鸡毛掸子日常打理、湿海绵蘸洗。

控制方式：

匹配不同的电机可实现遥控、天猫/米家语音、干触点、485协议、强电开关等控制方式。没有电源可以采用锂电池电机实现遥控。

Functional Features:

As a highly mature and widely used product in the window decoration industry, engineering roller blinds fabric is highly favored by the majority of consumers. It can both reduce light, blackout, to adapt to the human demand for different intensity of light; and can fireproof, windproof, dust removal, warmth, muffling, heat insulation, Radiation protection, UV protection, etc., to improve the climate and environment of the living room. It has become an indispensable, functional and decorative perfect combination of indoor interior decorations.

Applicable places

Business, administrative office buildings, exhibition halls, libraries, gymnasiums, hotels, glass rooms, laboratories, theaters and commercial pedestrian streets, coffee bars, tea houses and other public places.

Cleaning method

Daily cleaning with dusting duster and cleaning with wet sponge dipped in water

Control method

Matching different motors can achieve remote control, Tmall / Mijia voice, dry contact, 485 protocol, strong power switch and other control methods. No power supply can use lithium battery motor. Realize remote control.



Stay-fresh
coating

经“保鲜”后整理



Suitable for
moist conditions
适用于潮湿环境



Certified by international
quality management
质量管理认证



Stay-fresh
coating

经“保鲜”后整理



Suitable for
moist conditions
适用于潮湿环境



Certified by international
quality management
质量管理认证


K5-301~K5-303

阳光面料
SUNSHINE FABRIC


春晖系列
SPRING SUNSHINE
Product color card

工程卷帘色卡


K5-301~K5-303



K5-301



K5-302



K5-303



Stay-fresh
coating

经“保鲜”后整理



Suitable for
moist conditions

适用于潮湿环境



Certified by international
quality management


质量管理认证

K16-504~K16-506 阳光面料
SUNSHINE FABRIC


春晖系列
SPRING SUNSHINE
Product color card

工程卷帘色卡


K16-504~K16-506



K16-504



K16-505



K16-506



Stay-fresh
coating

经“保鲜”后整理



Suitable for
moist conditions
适用于潮湿环境



Certified by international
quality management
质量管理认证


K24-301~K24-305

阳光面料
SUNSHINE FABRIC


春晖系列
SPRING SUNSHINE
Product color card

工程卷帘色卡


K24-301~K24-305




K24-301



K24-302



K24-303



K24-304



K24-305



Stay-fresh
coating

经“保鲜”后整理



Suitable for
moist conditions

适用于潮湿环境



Certified by international
quality management

质量管理认证

K25-501G~K25-503G

阳光面料
SUNSHINE FABRIC


春晖系列
SPRING SUNSHINE
Product color card

工程卷帘色卡


K25-501G~K25-503G



K25-501G



K25-502G



K25-503G



Stay-fresh
coating

经“保鲜”后整理



Suitable for
moist conditions

适用于潮湿环境



Certified by international
quality management

质量管理认证


K26-302~K26-306

阳光面料
SUNSHINE FABRIC


春晖系列
SPRING SUNSHINE
Product color card

工程卷帘色卡

K26-302~K26-306



K26-302



K26-303



K26-304



K26-305



K26-306



Stay-fresh
coating

经“保鲜”后整理



Suitable for
moist conditions
适用于潮湿环境



Certified by international
quality management
质量管理认证

K27-001B~K27-004B

全遮光系列
FULL BLOCKOUT

春晖系列

SPRING SUNSHINE
Product color card

工程卷帘色卡

D27-001B~D27-004B



全遮光系列
FULL BLACKOUT




D27-001B



D27-002B



D27-003B



D27-004B



Stay-fresh
coating

经“保鲜”后整理



Suitable for
moist conditions

适用于潮湿环境



Certified by international
quality management

质量管理认证


K1-501~K1-504

阳光面料
SUNSHINE FABRIC


春晖系列
SPRING SUNSHINE
Product color card

工程卷帘色卡

K1-501~K1-504



K1-501



K1-502



K1-503



K1-504



Stay-fresh
coating

经“保鲜”后整理



Suitable for
moist conditions

适用于潮湿环境



Certified by international
quality management

质量管理认证

K7-101~K1-104

阳光面料
SUNSHINE FABRIC


春晖系列
SPRING SUNSHINE
Product color card

工程卷帘色卡


K7-101~K7-104




K7-101



K7-102



K7-103



K7-104



Stay-fresh
coating

经“保鲜”后整理



Suitable for
moist conditions

适用于潮湿环境



Certified by international
quality management


质量管理认证

K8-001B~K8-004B 全遮光系列
FULL BLACKOUT

春晖系列
SPRING SUNSHINE
Product color card

工程卷帘色卡

K8-001B~K8-004B




K8-001B



K8-002B



K8-003B



K8-004B



Stay-fresh
coating

经“保鲜”后整理



Suitable for
moist conditions

适用于潮湿环境



Certified by international
quality management

质量管理认证


K10-001B~K10-003B

全遮光系列
FULL BLACKOUT

春晖系列
SPRING SUNSHINE
Product color card

工程卷帘色卡


K10-001B~K10-003B



K10-001B



K10-002B



K10-003B



Stay-fresh
coating

经“保鲜”后整理



Suitable for
moist conditions
适用于潮湿环境




Certified by international
quality management
质量管理认证

K19-000F~K19-003F 全遮光系列
FULL BLACKOUT


春晖系列
SPRING SUNSHINE
Product color card

工程卷帘色卡

K19-000F~K19-003F




K19-000F



K19-001F



K19-002F



K19-003F



云端系列
CLOUD SERIES
Product color card

工程卷帘色卡



云端系列 ENGINEERING ROLLER BLINDS

装饰性高质量工程卷帘面料！



CLOUD SERIES

功能特点：

工程卷帘面料作为窗饰行业的一款成熟度高、应用广泛的产品，备受广大消费者青睐。它既可以减光、遮光、以适应人对光线不同强度的需求；又可以防火、防风、除尘、保暖、消声、隔热、防辐射、防紫外线等，改善居室气候与环境。已成为不可缺少的、功能性和装饰性完美结合的室内装饰品。

适用场所：

商务、行政办公大楼、展馆展厅、图书馆、体育馆、酒店、玻璃房、实验室、影院以及商业步行街、咖啡吧、茶坊等公共场所。

清洁方式：

鸡毛掸子日常打理、湿海绵蘸洗。

控制方式：

匹配不同的电机可实现遥控、天猫/米家语音、干触点、485协议、强电开关等控制方式。没有电源可以采用锂电池电机实现遥控。

Functional Features:

As a highly mature and widely used product in the window decoration industry, engineering roller blinds fabric is highly favored by the majority of consumers. It can both reduce light, blackout, to adapt to the human demand for different intensity of light; and can fireproof, windproof, dust removal, warmth, muffling, heat insulation, Radiation protection, UV protection, etc., to improve the climate and environment of the living room. It has become an indispensable, functional and decorative perfect combination of indoor interior decorations.

Applicable places

Business, administrative office buildings, exhibition halls, libraries, gymnasiums, hotels, glass rooms, laboratories, theaters and commercial pedestrian streets, coffee bars, tea houses and other public places.

Cleaning method

Daily cleaning with dusting duster and cleaning with wet sponge dipped in water

Control method

Matching different motors can achieve remote control, Tmall / Mijia voice, dry contact, 485 protocol, strong power switch and other control methods. No power supply can use lithium battery motor. Realize remote control.

手动成品尺寸：最宽2.5M 最窄：0.3M 最高：3M

电动成品尺寸：最宽2.5M 最窄：最宽根据电机加长4CM 最高：3M

（超过以上尺寸请咨询本公司）

Manual finished size: the widest 2.5M / narrowest: 0.3M / highest: 3M

Electric finished size: the widest 2.5M / narrowest: the widest according to the motor length plus 4CM / highest: 3M
(Please consult our company for more than the above dimensions)

大部分工程卷帘可适用于潮湿环境或经过特殊的“保鲜后”
Most engineered roller blinds can be used in wet environments or after special "preservation"



无线连接
WIFI connection



智能控制
Intelligent Control



电动驱动
Electric drive



手动驱动
Hand Pull Drive



环保建材
Environmentally
friendly building
materials



无异味
No odor



阻燃工艺
Flame retardant
process



Stay-fresh
coating

经“保鲜”后整理



Suitable for
moist conditions

适用于潮湿环境



Certified by international
quality management

质量管理认证



Stay-fresh
coating

经“保鲜”后整理



Suitable for
moist conditions

适用于潮湿环境



Certified by international
quality management


质量管理认证

D1-001~D1-009 透景面料
SEE-THROUGH


云端系列
CLOUD SERIES
Product color card

工程卷帘色卡

D1-001~D1-005



D1-001



D1-002



D1-004



D1-005


D1-006~D1-009




D1-006



D1-007



D1-008



D1-009



Stay-fresh
coating

经“保鲜”后整理



Suitable for
moist conditions

适用于潮湿环境



Certified by international
quality management

质量管理认证

D12-01B~D12-05B 全遮光系列
FULL BLACKOUT

云端系列
CLOUD SERIES
Product color card

工程卷帘色卡

D12-01B~D12-05B



D12-01B



D12-02B



D12-03B



D12-04B



D12-05B



Stay-fresh
coating

经“保鲜”后整理



Suitable for
moist conditions
适用于潮湿环境



Certified by international
quality management
质量管理认证

D13-01B~D13-17B 全遮光系列
FULL BLACKOUT

云端系列
CLOUD SERIES
Product color card

工程卷帘色卡

D13-01B~D12-05B



D13-01B



D13-02B



D13-03B



D13-04B




D13-05B


D13-06B~D13-10B



D13-06B




D13-07B



D13-08B




D13-09B




D13-10B


D13-11B~D13-14B




D13-11B



D13-12B



D13-13B



D13-14B


D13-15B~D13-17B



D13-15B



D13-16B



D13-17B



Stay-fresh
coating

经“保鲜”后整理



Suitable for
moist conditions
适用于潮湿环境



Certified by international
quality management
质量管理认证


D14-01~D14-03

半遮光系列
SEMI-BLACKOUT


云端系列
CLOUD SERIES
Product color card

工程卷帘色卡

D14-01~D14-03



D14-01



D14-02



D14-03



Stay-fresh
coating

经“保鲜”后整理



Suitable for
moist conditions
适用于潮湿环境



Certified by international
quality management
质量管理认证

D14-01B~D14-03B 全遮光系列
FULL BLACKOUT

云端系列
CLOUD SERIES
Product color card

工程卷帘色卡


D14-01B~D14-03B



D14-01B



D14-02B



D14-03B



Stay-fresh
coating

经“保鲜”后整理



Suitable for
moist conditions

适用于潮湿环境



Certified by international
quality management

质量管理认证

D15-01~D15-04

半遮光系列
SEMI-BLACKOUT


云端系列
CLOUD SERIES
Product color card

工程卷帘色卡


D15-01~D15-04



D15-01



D15-02



D15-03



D15-04



Stay-fresh
coating

经“保鲜”后整理



Suitable for
moist conditions

适用于潮湿环境



Certified by international
quality management

质量管理认证

D15-01B~D15-04B 全遮光系列
FULL BLACKOUT

云端系列
CLOUD SERIES
Product color card

工程卷帘色卡

D15-01B~D15-04B



D15-01B



D15-02B



D15-03B



D15-04B



Stay-fresh
coating

经“保鲜”后整理



Suitable for
moist conditions

适用于潮湿环境



Certified by international
quality management


质量管理认证

D16-01B~D16-05B 全遮光系列
FULL BLACKOUT


云端系列
CLOUD SERIES
Product color card

工程卷帘色卡


D16-01B~D16-05B




D16-01B




D16-02B



D16-03B



D16-04B



D16-05B



Stay-fresh
coating

经“保鲜”后整理



Suitable for
moist conditions
适用于潮湿环境



Certified by international
quality management
质量管理认证

D17-01~D17-08

透景面料
SEE-THROUGH


云端系列
CLOUD SERIES
Product color card

工程卷帘色卡

D17-01~D17-04




D17-01



D17-02




D17-03



D17-04

D17-05~D17-08



D17-05



D17-06



D17-07



D17-08



Stay-fresh
coating

经“保鲜”后整理



Suitable for
moist conditions

适用于潮湿环境



Certified by international
quality management

质量管理认证

D17-01B~D17-08B 全遮光系列
FULL BLACKOUT

云端系列
CLOUD SERIES
Product color card

工程卷帘色卡


D17-01B~D17-04B



D17-01B



D17-02B



D17-03B



D17-04B

D17-05B~D17-08B



D17-05B




D17-06B



D17-07B



D17-08B



SOFT YARN CURTAIN SERIES

Product color card

工程卷帘色卡





工程卷帘

ENGINEERING ROLLER SHUTTER

功能性高质量卷帘面料！

功能特点：

工程卷帘面料作为窗饰行业的一款成熟度高、应用广泛的产品，备受广大消费者青睐。它既可以减光、遮光、以适应人对光线不同强度的需求；又可以防火、防风、除尘、保暖、消声、隔热、防辐射、防紫外线等，改善居室气候与环境。已成为不可缺少的、功能性和装饰性完美结合的室内装饰品。

适用场所：

商务、行政办公大楼、展馆展厅、图书馆、体育馆、酒店、玻璃房、实验室、影院以及商业步行街、咖啡吧、茶坊等公共场所。

清洁方式：

鸡毛掸子日常打理、湿海绵蘸洗。

控制方式：

匹配不同的电机可实现遥控、天猫/米家语音、干触点、485协议、强电开关等控制方式。没有电源可以采用锂电池电机实现遥控。

手动成品尺寸：最宽2.5M 最窄：0.3M 最高：3M

电动成品尺寸：最宽2.5M 最窄：最宽根据电机长加4CM 最高：3M

（超过以上尺寸请咨询本公司）

大部分工程卷帘可适用于潮湿环境或经过特殊的“保鲜后”



Stay-fresh coating

经“保鲜”后整理



Suitable for moist conditions

适用于潮湿环境



Certified by international quality management

质量管理认证



无线连接



智能控制



电动驱动



手动驱动



环保建材



无异味



电动驱动



Stay-fresh
coating

经“保鲜”后整理



Suitable for
moist conditions

适用于潮湿环境



Certified by international
quality management

质量管理认证

C300-C308 半遮光系列
SEMI SHADING


SOFT YARN
CURTAIN SERIES
Product color card

工程卷帘色卡


C300-C308



半遮光系列
SEMI SHADING




C300




C301




C302



C303




C304



C305



C306



C307



C308



Stay-fresh
coating
经“保鲜”后整理



Suitable for
moist conditions
适用于潮湿环境



Certified by international
quality management
质量管理认证

C200B-C209B 全遮光系列
FULL SHADING

SOFT YARN
CURTAIN SERIES
Product color card
工程卷帘色卡


C200B-C209B




半遮光系列
SEMI SHADING




C200B



C201B




C202B



C203B



C204B




C205B



C206B



C207B



C208B



C209B



Stay-fresh
coating

经“保鲜”后整理



Suitable for
moist conditions

适用于潮湿环境



Certified by international
quality management


质量管理认证

C300B-C308B 全遮光系列
FULL SHADING

SOFT YARN
CURTAIN SERIES
Product color card

工程卷帘色卡


C300B-C308B




C300B



C301B



C302B




C303B




C304B



C305B



C306B



C307B



C308B



Stay-fresh
coating

经“保鲜”后整理



Suitable for
moist conditions

适用于潮湿环境



Certified by international
quality management

质量管理认证

K4-501~503 阳光面料系列
SUNSHINE FABRIC

SOFT YARN
CURTAIN SERIES
Product color card

工程卷帘色卡

K4-501~503




阳光面料系列
SUNSHINE FABRIC



K4-501



K4-502



K4-503